

# SAFETY DATA SHEET

#### 1. Identification

**Product identifier** PC 2000 HFO- Part B Polyol - Closed Cell

Other means of identification

PC 20-XX-55 (\*XX - identifies reactivity) Product code

Component for the manufacture of polyurethane insulation. Recommended use

Recommended restrictions **Manufacturer information** 

For professional use only. Uses other than the recommended use.

PolyCon LLC Manufactured by

1755 Transcentral Court, Ste. 400 **Address** 

Houston, TX 77032

www.polyconspf.com Website safety@polyconspf.com **Email** 

(855) 721-3626 **Telephone Number** 

**Emergency Telephone** 

Number

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Incident:

CHEMTREC within USA: 1-800-424-9300

# 2. Hazard(s) identification

**Physical hazards** Not classified.

**Health hazards** Acute toxicity, oral Category 4

> Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 1 Sensitization, skin Category 1 Reproductive toxicity Category 2

Specific target organ toxicity, repeated Category 2 (kidney)

exposure

**Environmental hazards** Hazardous to the aquatic environment, acute

hazard

Category 3

Hazardous to the aquatic environment,

long-term hazard

Category 3

Not classified.

Label elements

**OSHA** defined hazards



Signal word Danger

**Hazard statement** Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious

eye damage. Suspected of damaging fertility or the unborn child. May cause damage to organs (kidney) through prolonged or repeated exposure. Harmful to aquatic life with long lasting effects.

**Precautionary statement** 

Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist/vapors. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye

Version #: 01 Revision date: -Issue date: 12-June-2024 SDS US protection/face protection.

Response If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If on skin: Wash with

plenty of water. Immediately call a poison center/doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it

before reuse.

Storage Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	CAS number	%
Diethylene glycol	111-46-6	10 - 15
4-Nonylphenol branched, ethoxylated	127087-87-0	1 - 5
Tris(2-chloro-1-methylethyl) Phosphate	13674-84-5	1 - 5
Ethylene glycol	107-21-1	0.5 - 1.5
dimethyltin bis(ethylhexyl mercaptoacetate)	57583-35-4	0.1 - 0.5

**Composition comments** 

All concentrations are in percent by weight unless otherwise indicated.

Components not listed are either non-hazardous or are below reportable limits.

### 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions. Wash

contaminated clothing before reuse.

**Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention immediately.

Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Get medical advice/attention if you feel unwell.

Most important symptoms/effects, acute and delayed Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash. Edema. Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information

Ingestion

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

### 5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed such as: Carbon oxides. Nitrogen oxides.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

Move containers from fire area if you can do so without risk.

equipment/instructions
Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

Polycon LLC PC 2000 HFO Series – Closed Cell Insulation SDS US
Version #: 01 Revision date: - Issue date: 12-June-2024 2 / 9

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Prevent product from entering drains.

LIS OSHA Table 7.4 Permissible Expedited Limits (BEL) for Air Contaminants (20 CER 1010 1000)

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Absorb spillage with suitable absorbent material. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist/vapors. Do not get this material in contact with eyes. Do not taste or swallow. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices. Persons susceptible to allergic reactions should not handle this product.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

### 8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Permissible Components	Туре	Value	,
dimethyltin bis(ethylhexyl mercaptoacetate) (CAS 57583-35-4)	PEL	0.1 mg/m3	
US. ACGIH Threshold Limit Value	es (TLV)		
Components	Туре	Value	Form
dimethyltin bis(ethylhexyl mercaptoacetate) (CAS 57583-35-4)	STEL	0.2 mg/m3	
	TWA	0.1 mg/m3	
Ethylene glycol (CAS 107-21-1)	STEL	10 mg/m3	Aerosol, inhalable.
		50 ppm	Vapor fraction
	TWA	25 ppm	Vapor fraction
NIOSH. Immediately Dangerous t	o Life or Health (IDLH) Values,	as amended	
Components	Туре	Value	
dimethyltin bis(ethylhexyl mercaptoacetate) (CAS 57583-35-4)	IDLH	25 mg/m3	
US. NIOSH: Pocket Guide to Che	mical Hazards		
Components	Туре	Value	
dimethyltin bis(ethylhexyl mercaptoacetate) (CAS 57583-35-4)	TWA	0.1 mg/m3	

Polycon LLC PC 2000 HFO Series – Closed Cell Insulation Version #: 01 Revision date: - Issue date: 12-June-2024

US. OARS. Workplace Environmental Exposure Level (WEEL) Guide

Components Type Value

Diethylene glycol (CAS TWA 10 mg/m3

111-46-6)

Biological limit values No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** 

US - California OELs: Skin designation

dimethyltin bis(ethylhexyl mercaptoacetate)

Can be absorbed through the skin.

(CAS 57583-35-4)

US - Minnesota Haz Subs: Skin designation applies

dimethyltin bis(ethylhexyl mercaptoacetate)

Skin designation applies.

(CAS 57583-35-4)

US - Tennessee OELs: Skin designation

dimethyltin bis(ethylhexyl mercaptoacetate)

Can be absorbed through the skin.

(CAS 57583-35-4)

**US ACGIH Threshold Limit Values: Skin designation** 

dimethyltin bis(ethylhexyl mercaptoacetate)

Danger of cutaneous absorption

(CAS 57583-35-4)

**US. NIOSH: Pocket Guide to Chemical Hazards** 

dimethyltin bis(ethylhexyl mercaptoacetate)

Can be absorbed through the skin.

(CAS 57583-35-4)

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency

shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear approved chemical safety goggles. Face shield is recommended.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Examples of preferred glove barrier materials include:

Butyl rubber. Nitrile butyl rubber (NBR). Neoprene. Suitable gloves can be recommended by the

glove supplier.

Skin protection

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Chemical respirator with organic vapor

cartridge and full facepiece.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

### 9. Physical and chemical properties

**Appearance** 

Physical state Liquid.

Form Slightly viscous liquid.

Color Light brown.

Odor Amine.

Odor threshold Not available.

**pH** 10

Melting point/freezing point Not determined.

Initial boiling point and boiling Not determined.

range

Flash point > 200 °F (> 93.33 °C) Closed Cup

Polycon LLC PC 2000 HFO Series – Closed Cell Insulation SDS US
Version #: 01 Revision date: - Issue date: 12-June-2024 4 / 9

Not determined. **Evaporation rate** Not applicable. Flammability (solid, gas)

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not determined. Not determined. Explosive limit - upper (%) Not determined. Vapor pressure Not determined. Vapor density

1.23 (77 °F (25 °C)) Relative density

Solubility(ies)

Solubility (water) Slightly soluble. Not available. **Partition coefficient** 

(n-octanol/water)

Not determined. **Auto-ignition temperature Decomposition temperature** Not determined.

569 cps (77 °F (25 °C)) **Viscosity** 

Other information

10.26 lb/gal (77 °F (25 °C)) Density

**Explosive properties** Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Strong oxidizing agents. Isocyanates. Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known. In the event of fire: See Section 5.

# 11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Causes skin irritation. May cause an allergic skin reaction. Skin contact

Eye contact Causes serious eye irritation.

Ingestion Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction.

**Test Results** 

Dermatitis. Rash. Edema.

**Species** 

Information on toxicological effects

**Acute toxicity** Harmful if swallowed.

1,2-Benzenedicarboxylic acid, 3,4,5,6-tetrabromo-, mixed esters with diethylene glycol and propylene glycol (CAS 77098-07-8)

Acute

Components

**Dermal** 

LD50 Rabbit > 20000 mg/kg

Inhalation

Vapor

Rat LC50 > 0.008 mg/l

Oral

LD50 Rat > 10000 mg/kg

PC 2000 HFO Series - Closed Cell Insulation SDS US Polycon LLC Version #: 01 Revision date: -Issue date: 12-June-2024 5/9

Components Species Test Results

Diethylene glycol (CAS 111-46-6)

Acute Dermal

LD50 Rabbit 11890 mg/kg

Ethylene glycol (CAS 107-21-1)

<u>Acute</u> Dermal

LD50 Rabbit 9530 mg/kg

**Skin corrosion/irritation** Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** May cause an allergic skin reaction.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed

**NTP Report on Carcinogens** 

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

**Reproductive toxicity** Suspected of damaging fertility or the unborn child.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

May cause damage to organs (kidney) through prolonged or repeated exposure.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful. May cause damage to organs through prolonged or

**Species** 

repeated exposure.

12. Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

1,2-Benzenedicarboxylic acid, 3,4,5,6-tetrabromo-, mixed esters with diethylene glycol and propylene glycol (CAS 77098-07-8)

Aquatic Acute

Components

Fish LC50 Lepomis macrochirus

12 mg/l, 96 hours

**Test Results** 

Ethylene glycol (CAS 107-21-1)

Aquatic

Acute

Crustacea EC50 Ceriodaphnia dubia 10000 mg/l, 48 Hours
Fish LC50 Oncorhynchus mykiss 24591 mg/l, 96 Hours

Chronic

Crustacea NOEC Ceriodaphnia dubia 3469 mg/l, 7 days
Fish NOEC Oncorhynchus mykiss 14692 mg/l, 12 days

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available for this product.

Partition coefficient n-octanol / water (log Kow)

Diethylene glycol (CAS 111-46-6) -1.47 Ethylene glycol (CAS 107-21-1) -1.36

Polycon LLC PC 2000 HFO Series – Closed Cell Insulation SDS US
Version #: 01 Revision date: - Issue date: 12-June-2024 6 / 9

No data available. Mobility in soil Other adverse effects No data available.

## 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

### 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Not established. Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

### 15. Regulatory information

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication **US** federal regulations

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

TSCA Chemical Action Plans, Chemicals of Concern

4-Nonylphenol branched, ethoxylated Nonylphenol (NP) and Nonylphenol Ethoxylates (NPEs) Action Plan

(CAS 127087-87-0)

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Ethylene glycol (CAS 107-21-1) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

**Toxic Substances Control Act (TSCA)** All components of the mixture on the TSCA 8(b) inventory are designated

"active".

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard Acute toxicity (any route of exposure)

categories Skin corrosion or irritation

Serious eye damage or eye irritation Respiratory or skin sensitization

Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

### SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
4-Nonylphenol branched, ethoxylated	127087-87-0	1 - 5	
Ethylene glycol	107-21-1	0.5 - 1.5	

Polycon LLC PC 2000 HFO Series - Closed Cell Insulation SDS US Version #: 01 Revision date: -Issue date: 12-June-2024

**US federal regulations** 

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

TSCA Chemical Action Plans, Chemicals of Concern

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

4-Nonviphenol branched, ethoxylated Nonviphenol (NP) and Nonviphenol Ethoxylates (NPEs) Action Plan

(CAS 127087-87-0)

Ethylene glycol (CAS 107-21-1) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

All components of the mixture on the TSCA 8(b) inventory are designated

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

**Toxic Substances Control Act (TSCA)** 

Not listed.

SARA 311/312 Hazardous

chemical

Yes

Classified hazard

Acute toxicity (any route of exposure) Skin corrosion or irritation

categories

Serious eye damage or eye irritation Respiratory or skin sensitization

Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
4-Nonylphenol branched, ethoxylated	127087-87-0	1 - 5	
Ethylene glycol	107-21-1	0.5 - 1.5	

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Ethylene glycol (CAS 107-21-1)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Contains component(s) regulated under the Safe Drinking Water Act.

**US state regulations** 

**US. Massachusetts RTK - Substance List** 

Ethylene glycol (CAS 107-21-1)

US. New Jersey Worker and Community Right-to-Know Act

4-Nonylphenol branched, ethoxylated (CAS 127087-87-0)

Ethylene glycol (CAS 107-21-1)

US. Pennsylvania Worker and Community Right-to-Know Law

Diethylene glycol (CAS 111-46-6)

Ethylene glycol (CAS 107-21-1)

**US. Rhode Island RTK** 

Diethylene glycol (CAS 111-46-6)

dimethyltin bis(ethylhexyl mercaptoacetate) (CAS 57583-35-4)

Ethylene glycol (CAS 107-21-1)

#### California Proposition 65



WARNING: This product can expose you to chemicals including Ethylene Oxide and 1,4-Dioxane, which are known to the State of California to cause cancer, and Ethylene Oxide and Ethylene glycol, which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

1,4-Dioxane (CAS 123-91-1) Listed: January 1, 1988 Ethylene Oxide (CAS 75-21-8) Listed: July 1, 1987

California Proposition 65 - CRT: Listed date/Developmental toxin

Ethylene glycol (CAS 107-21-1)

Ethylene Oxide (CAS 75-21-8)

Listed: June 19, 2015

Listed: August 7, 2009

California Proposition 65 - CRT: Listed date/Female reproductive toxin

Ethylene Oxide (CAS 75-21-8) Listed: February 27, 1987

California Proposition 65 - CRT: Listed date/Male reproductive toxin

Ethylene Oxide (CAS 75-21-8) Listed: August 7, 2009

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

4-Nonylphenol branched, ethoxylated (CAS 127087-87-0)

Ethylene glycol (CAS 107-21-1)

Tris(2-chloro-1-methylethyl) Phosphate (CAS 13674-84-5)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

Issue date 12-JUNE-2024

Revision date - 01

HMIS® ratings Health: 3\*

Flammability: 0 Physical hazard: 0

**Disclaimer** PolyCon LLC cannot anticipate all conditions under which this information and its product, or the

products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

PolyCon LLC PC 2000 HFO Series – Closed Cell Insulation Version #: 01 Revision date: - Issue date: 12-June-2024